



D i g i l o c k

www.digilock.com

product catalog

motor driven

Standard Profile Motor Driven Surface or Recess Mount

Keypad Lock

standard

vertical

horizontal



functionality

Digilock® keypad locks function by entry of a 4-digit code. The interface also contains a key slot to operate locks with an ADA Compliant User Key.

P In assigned use functionality, 1 access credential (code or key) can be assigned to operate a lock. The user unlocks with an assigned user credential and closes the door to automatically relock.

T In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing with or without pull handle
- Standard, vertical, and horizontal body orientation
- Tamper guard
- Visual and audible indicators
- Powered by 4 premium AA batteries
- 3-5 year battery life
- 2-year product warranty

Rear Unit



deadbolt

deadlatch

motor driven

Standard Profile Motor Driven Surface or Recess Mount

RFID Lock

standard

vertical

horizontal



functionality

Digilock® RFID locks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA Compliant User Key.

P In assigned use functionality, 1 access credential (RFID or key) can be assigned to operate a lock. The user unlocks the lock with an assigned access credential and closes the door to automatically relock.

T In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing with or without pull handle
- Mifare card technology that is adaptable to all existing card systems
- Standard, vertical, and horizontal body orientation
- Tamper guard
- Visual and audible indicators
- Powered by 4 premium AA batteries
- 3-5 year battery life
- 2-year product warranty

Rear Unit



deadbolt

deadlatch

Standard Profile Cam Recess Mount

Keypad Camlock

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Digilock® standard profile keypad camlocks function by entry of a user code and rotation of the handle. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, 1 access credential (code or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

RFID Camlock

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Mifare card technology that is adaptable to all existing card systems
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Digilock® standard profile RFID camlocks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, 1 access credential (RFID or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

Rear



cam rear

Standard Profile Cam Recess Mount

Keypad Camlock

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Digilock® standard profile keypad camlocks function by entry of a user code and rotation of the handle. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, 1 access credential (code or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

RFID Camlock

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Mifare card technology that is adaptable to all existing card systems
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Digilock® standard profile RFID camlocks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, 1 access credential (RFID or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

Rear



cam rear

Next Cue Surface Mount

Key Managed

features

- Operated by a user code or key
- Surface mount installation
- Visual and audible indicators
- Shared or assigned use
- Powered by 4 premium AA batteries
- 2-3 year battery life
- 2-year product warranty

functionality

P Assigned Use. For applications where lockers are assigned to a single user.

T In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.



Next Cue locks function by entry of a user code. The interface also contains a key slot to operate locks with an ADA User Key. Lock systems are easily managed with Manager Bypass Key(s) registered to the locks by a unique Programming Key. Lock functionality is set by the Programming Key for either assigned or shared use.



Management access with Manager Bypass Key

Code Managed

features

- Operated by a user code
- Surface mount installation
- Visual and audible indicators
- Shared or assigned use
- Powered by 4 premium AA batteries
- 2-3 year battery life
- 2-year product warranty

functionality

P In assigned use functionality a user code is assigned to operate a lock.

T In shared use functionality, the user chooses an available storage unit, and then operates it with a self-selected user code. Once the storage unit is vacated, it becomes available for a different user.



Next Cue locks function by entry of a user code. Lock systems are managed with a Manager Code registered to the locks by a Programming Code. Lock functionality is set by the Programming Code for either assigned or shared use.



Management access with Manager Code

Electronic Keys for Key Managed Locks

programming key



- Initializes new locks
- Registers Manager Bypass Keys
- Overrides user access
- Allows management audit/inspection
- Provides external power

manager key



- Assigns access credential(s)
- Overrides user access
- Allows management audit/inspection
- Provides external power

User credentials

user keys



- Operates the lock instead of User Code
- ADA compliant*

**US Access Board requires 5% of all locks to be ADA compliant.*

user labels



- Provides lock use instructions

RFID credentials



Card



Adhesive Label



Key Fob



Wrist Band

Digilock Europe B.V.

1119 MD Schiphol Rijk ■ Douglassingel 47 ■ Amsterdam, The Netherlands

+31 (0)20.303.3060